


Kuba SGB 71-F61

Specifications



La marque	Kuba
Type	SGB 71-F61
Capacité kW	26,6
Réfrigérant	Freon
Nombre de ventilateurs	1
Espace Fan in mm	7
Dégivrage	None
m ³ /h	11.440
Remarques	920 RPM // 230/400V-3-50HZ
Remarks	Y.o.b. 2005
Volume	36 dm ³
Stock	4



Description

Used Kuba SGB 71-F61

Used Kuba SGB71-G61 Freon evaporator. Complete with 1 Süd-Electric LMD-071T3-050-N6NBLS fan that produce an airflow of 11.440 m³/h. *All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Type	50 Hz, DTL R404A		surface	flow	throw	volume	Connections		Sound	Fans (Operational values at 50 Hz)				
	SC2	SC3					Inlet	Outlet		L _{max}	Blade	Current	Per fan	
	kW	kW	m ²	m ³ /h	m	dm ³	Ømm	Ømm	dB(A)	Ømm	200-150% V/3-50Hz	rpm	W	A
SGB 50-F41 A	81	5.4	36.2	5,990	32	9.0	10x10	28x15	82.8	500	400 V-3	1350	740	136
SGB 50-F61 A	10.2	71	541	5,610	30	13.3	10x10	28x15	82.8	500	400 V-3	1350	740	136
SGB 56-F41 A	10.3	6.9	48.3	7,940	34	12.0	10x10	28x15	871	560	400 V-3	1300	1010	222
SGB 56-F61 A	131	9.0	721	6,940	32	18.0	15x10	35x15	871	560	400 V-3	1300	1010	222
SGB 56-F81 A	15.0	10.5	96.0	6,640	30	23.8	15x10	35x15	871	560	400 V-3	1300	1010	222
SGB 63-F41 A	12.2	8.1	65.1	7,820	30	16.0	15x10	28x15	79.8	630	400 V-3	900	590	121
SGB 63-F61 A	15.3	10.5	97.4	7,460	28	24.1	22x10	35x15	79.8	630	400 V-3	900	590	121
SGB 63-F81 A	17.2	12.1	129.6	7,150	27	31.8	22x10	35x15	79.8	630	400 V-3	900	590	121
SGB 71-F41 A	18.4	12.6	101.3	11,720	42	25.0	15x10	35x15	79.5	710	400 V-3	920	710	144
SGB 71-F61 A	23.4	16.4	131.5	11,480	41	37.0	22x10	35x15	79.5	710	400 V-3	920	710	144
SGB 71-F81 A	26.6	19.1	201.6	11,050	39	49.3	22x10	42x15	79.5	710	400 V-3	920	710	144
SGB 80-F41 A	24.4	17.0	118.2	17,350	53	29.7	15x10	42x15	86.8	800	400 V-3	930	1480	358
SGB 80-F61 A	31.5	21.9	176.7	16,580	50	43.8	22x10	42x15	86.8	800	400 V-3	930	1480	358
SGB 80-F81 A	35.7	25.8	235.2	15,810	48	57.6	22x10	42x15	86.8	800	400 V-3	930	1480	358
SGB 90-F42 A	16.3	10.9	72.4	11,980	45	17.3	15x10	35x15	85.8	500	400 V-3	1350	740	136
SGB 90-F62 A	201	14.5	108.2	11,220	42	25.7	15x10	35x15	85.8	500	400 V-3	1350	740	136
SGB 96-F42 A	207	13.9	96.5	14,680	47	23.1	15x10	35x15	901	560	400 V-3	1300	1010	222
SGB 96-F62 A	26.2	18.0	144.3	13,880	45	34.7	22x10	42x15	901	560	400 V-3	1300	1010	222
SGB 96-F82 A	30.0	211	192.0	13,280	43	46.8	22x10	42x15	901	560	400 V-3	1300	1010	222

