

Bitzer 2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)

Specifications

Merk	Bitzer
Type	2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)
Koudemiddel	Freon
kW at -5°C/+40°C	60,6
kW at -10°C/+40°C	49,8
kW at -20°C/+40°C	32,4
kW at -30°C/+40°C	19,6
kW at -40°C/+40°C	10,3
kW at -45°C/+40°C	5,2
Capaciteits Controle	✓
Op stalen frame	✓
Vloeistof tank	✓
Vloeistof tank ltr.	39
Olie afscheider	✓
Olie level systeem AC&R	✓
Kijk glas	✓
m3 / h	92,7
Opmerkingen	Y.o.b. 2008
Package / Rack	✓
Afmetingen	2700x650x1420 mm (LxWxH)
Stock	1



Description

Used Bitzer 2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)

Gebruikt Bitzer Semi-Hermetisch zuigercompressorrek. Compleet met (1x) 2CC-3.2Y-40S & (2x) 4DC-5.2Y-40S & (1x) 4EC-6.2Y-40S compressoren, Bitzer FS402 vloeistofvat 39 Liter, oliereservoir, olieafscheider en druk- en veiligheidsschakelaars .







