


Bitzer 4T.2 Condensing unit

Specifications

Merk	Bitzer
Type	4T.2 Condensing unit
Koudemiddel	Freon
kW at 0°C/+40°C	33,1
kW at -5°C/+40°C	27,6
kW at -10°C/+40°C	22,8
kW at -20°C/+40°C	15,1
kW at -30°C/+40°C	9,4
kW at -40°C/+40°C	5,2
kW at -45°C/+40°C	3,7
Elektromotor Specs	50/60 Hz - 7,5/9,0 kW - 1445/1735 RPM
Op stalen frame	✓
Vloeistof tank	✓
Vloeistof tank ltr.	19
Filter droger	✓
Kijk glas	✓
m3 / h	47,4
Condensing Unit	✓
Afmetingen	2150x750x1250 mm (LxWxH)
Stock	1



Description

Used Bitzer 4T.2 Condensing unit

Gebruikte Bitzer 4T.2 condensing unit op Freon. Compleet met 1 Bitzer 4T.2 open type zuigercompressoren, condensor met 2 ventilatoren en een diameter van 400 mm, AEG AM 132 AMR elektromotor: 50 Hz - 7,5 kW - 1445 RPM, vloeistofontvanger met een inhoud van 19 liter, vloeistofleidingfilter en een schakelkast.

