

Bitzer 6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)

Specifications

Merk	Bitzer
Type	6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)
Koudemiddel	Freon
kW at 0°C/+40°C	351,7
kW at -5°C/+40°C	292,8
kW at -10°C/+40°C	241,6
kW at -20°C/+40°C	158,7
kW at -30°C/+40°C	97,4
kW at -40°C/+40°C	53,2
kW at -45°C/+40°C	36,3
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	30
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
m ³ / h	430,0
Opmerkingen	Y.o.b. 2013
Package / Rack	✓



Afmetingen	2840x1400x1320 mm (LxWxH)
Stock	1

Description

Used Bitzer 6FE-50Y-40P (x2) & 6GE-40Y-40P (x1)

Gebruikt Bitzer 6FE-50Y-40P (x2) & Bitzer 6GE-40Y-40P semi-hermetisch zuigercompressorrek op Freon. Compleet met 1 GVN VLR-7A-F/F-30x2 vloeistofvat met een inhoud van 30 liter, Frigo-Mec SO-273-ODS 67 olieafscheider, vloeistofleiding filterdroger, druk- en veiligheidsschakelaars/meters en een schakelkast met een Danfoss VLT-frequentieomvormer.











