

DWM D5DJ4-400X-AWM/D (x2) & D6DJ5-400X-AWM/D (x3)

Specifications

Merk	DWM
Type	D5DJ4-400X-AWM/D (x2) & D6DJ5-400X-AWM/D (x3)
Koudemiddel	Freon
kW at 0°C/+40°C	517,3
kW at -5°C/+40°C	432,5
kW at -10°C/+40°C	358,8
kW at -20°C/+40°C	239,9
kW at -30°C/+40°C	151,8
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Condensatiedruk switches	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
m3 / h	634,5
Package / Rack	✓
Afmetingen	5500x950x1950 mm (LxWxH)
Stock	1



Description

Used DWM D5DJ4-400X-AWM/D (x2) & D6DJ5-400X-AWM/D (x3)

Gebruikt DWM D6DJ4-400X-AWM/D & DWM D6DJ5-400X-AWM/D compressorrek op Freon. Compleet met 2 DWM D6DJ4-400X-AWM/D & 3 DWM D6DJ5-400X-AWM/D semi-hermetische zuigercompressoren, 2 ESK Schultze OS-104 olieafscheider, ESK Schultze OSA-18 oliereservoir, druk- en veiligheidsschakelaars/meters, vloeistofleiding filterdroger, schakelkast en een Janitza UMG 96 display.







