

Bock HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)

Specifications

Merk	Bock
Type	HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)
Koudemiddel	Freon
kW at +10°C/+40°C	171,3
kW at 0°C/+40°C	115,1
kW at -5°C/+40°C	92,6
kW at -10°C/+40°C	73,4
kW at -20°C/+40°C	43,8
kW at -30°C/+40°C	23,9
Onbelaste aanloop	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Condensatiedruk switches	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Kijk glas	✓
Magneet Afsluiter	✓
m ³ / h	230,0
Package / Rack	✓
Afmetingen	1680x1440x1460 mm (LxWxH)



Stock

1

Description

Used Bock HGX6/1240-4 S (x1) & HGX6/1410-4 S (x1)

Gebruikt Bock HGX6/1240-4 S (x1) & Bock HGX6/1410-4 S (x1) semi-hermetisch zuigercompressorrek. Compleet met AC&R S-1903 olieafscheider, oliereservoir en druk- en veiligheidsschakelaars/meters. De compressoren hebben een slagvolume van 230 m³/h. Capaciteit gebaseerd op het gebruik van Freon type: R134a.





