

Carlyle / Carrier 38 RA 080

Specifications

| | |
|---------------------------------|------------------------------|
| Merk | Carlyle / Carrier |
| Type | 38 RA 080 |
| Koudemiddel | Freon |
| kW at +10°C/+40°C | 106,0 |
| kW at 0°C/+40°C | 72,3 |
| kW at -5°C/+40°C | 58,7 |
| kW at -10°C/+40°C | 47,0 |
| kW at -20°C/+40°C | 28,6 |
| Op stalen frame | ✓ |
| Druk veiligheids schakelaars | ✓ |
| Kijk glas | ✓ |
| Schakelkast | ✓ |
| m ³ / h | 87,0 |
| Opmerkingen | Y.o.b. 2004 |
| Gewicht in kg. | 625 kg |
| Condensing Unit | ✓ |
| Afmetingen | 2100x1100x1400 mm (LxWxH) |
| Stock | 3 |



Description

Used Carlyle / Carrier 38 RA 080

Gebruikte Carrier 38 RA 080 koelunit op R407C. Compleet met 2 Performer SZ185S4CC scroll compressoren en een condensor met een Carrier CM29/T ventilator - 50 Hz - 1,8/0,25 kW - 945/470 RPM en een totale luchtstroom van 5.600 m³/h. De compressoren hebben een totale verplaatsing van 87 m³/h.





