

Bitzer 4EC-6.2Y Condensing unit

Specifications

Merk	Bitzer
Type	4EC-6.2Y Condensing unit
Koudemiddel	Freon
kW at 0°C/+40°C	17,8
kW at -5°C/+40°C	14,8
kW at -10°C/+40°C	12,1
kW at -20°C/+40°C	7,9
kW at -30°C/+40°C	4,7
kW at -40°C/+40°C	2,4
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Vloeistof tank	✓
Olie afscheider	✓
Filter droger	✓
Kijk glas	✓
Magneet Afsluiter	✓
Schakelkast	✓
m ³ / h	50 Hz - 22,1 m ³ /h / 60 Hz - 27,4 m ³ /h
Opmerkingen	Y.o.b. 2001
Condensing Unit	✓
Afmetingen	1450x1120x1460 mm (LxWxH)
Stock	4



Description

Used Bitzer 4EC-6.2Y Condensing unit

Gebruikte condensatie-unit op Freon. Compleet met een Bitzer 4EC-6.2Y semi-hermetische zuigercompressor, condensor met 4 OLMO R11R-4035A-4M-5732 ventilatoren - 50 Hz - 0,30 kW - 1390 RPM, vloeistofontvanger, olieafscheider, druk- en veiligheidsschakelaar en een schakelkast. De compressor heeft een slagvolume van 22,1 m³/h bij 50 Hz & 27,4 m³/h bij 60 Hz.





