

Bitzer 6GE-40Y-40P (x3)

Specifications

Merk	Bitzer
Type	6GE-40Y-40P (x3)
Koudemiddel	Freon
kW at 0°C/+40°C	307,2
kW at -5°C/+40°C	255,6
kW at -10°C/+40°C	210,6
kW at -20°C/+40°C	138,0
kW at -30°C/+40°C	84,6
kW at -40°C/+40°C	46,2
kW at -45°C/+40°C	31,7
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Condensatiedruk switches	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
Magneet Afsluiter	✓
m3 / h	50 Hz - 380,4 m ³ /h / 60 Hz - 458,7 m ³ /h
Opmerkingen	Y.o.b. 2013
Package / Rack	✓



Afmetingen	2170x950x1940 mm (LxWxH)
Stock	3

Description

Used Bitzer 6GE-40Y-40P (x3)

Gebruikte Bitzer 6GE-40Y-40P (x3) semi-hermetische schroefcompressor rack op Freon. Compleet met een AC&R S-5413-CE olieafscheider, ESK Schultze OSA-11 oliereservoir, vloeistofleidingfilterdroger, oliepeil AC&R, onbelaste start, capaciteitsregeling en een schakelkast.









