

Mycom C6 HK

Specifications

Merk	Mycom
Type	C6 HK
Koudemiddel	CO2
Refrigerant type	R744
kW at -30°C/+40°C	480,0*
kW at -40°C/+40°C	300,0*
kW at -45°C/+40°C	250,0*
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Manometers	✓
Olie afscheider	✓
Olie level systeem AC&R	✓
Filter droger	✓
Kijk glas	✓
Magneet Afsluiter	✓
m3 / h	239 m³/h - 1800 RPM
Opmerkingen	Y.o.b. 2017
Opmerkingen	*Capacities are based on a condensing temperature of -10°C and 1450 RPM
Afmetingen	1870x1400x2200 mm (LxWxH)
Stock	1



Description

Used Mycom C6 HK

Gebruikte Mycom C6HK open-type zuigercompressor op CO2. Compleet met een Leroy Somer PLS250MP-T elektromotor - 50/60 Hz - 90/103 kW - 1469/1771 RPM, Mayekawa MAA 2565-40 olieafscheider met een volume van 58 liter en drukbeveiligingsschakelaars/meters. De capaciteiten zijn gebaseerd op een condensatietemperatuur van -10°C en 1450 RPM.





