

Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)

Specifications

Merk	Bitzer
Type	4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)
Koudemiddel	Freon
kW at 0°C/+40°C	91,6
kW at -5°C/+40°C	76,2
kW at -10°C/+40°C	62,6
kW at -20°C/+40°C	40,8
kW at -30°C/+40°C	24,8
kW at -40°C/+40°C	12,8
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Vloeistof tank	✓
Vloeistof tank ltr.	89 l
Filter droger	✓
Kijk glas	✓
m3 / h	50 Hz - 112,2 m³/h
Opmerkingen	Y.o.b. 2004 (s.nr: 1666801294) & y.o.b. 1999 (s.nr: 65660437)
Afmetingen	1820x1300x1030 mm (LxWxH)
Stock	1



Description

Used Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)

Gebruikte Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1) semi-hermetische zuigercompressor met freon. Compleet met een Bitzer F 902 N vloeistofvat met een inhoud van 89 liter, drukbeveiligingen en een filterdroger voor de vloeistofleiding. De compressoren hebben een totale capaciteit van 112,2 m³/u bij 50 Hz.







