


Bitzer 4N.2

Specifications

Merk	Bitzer
Type	4N.2
Koudemiddel	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	62,1*
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
Elektromotor Specs	15
Onbelaste aanloop	✓
Capaciteits Controle	✓
Op stalen frame	✓
Druk veiligheids	✓
schakelaars	
Manometers	✓
Vloeistof tank	✓
Vloeistof tank ltr.	100
Filter droger	✓
Kijk glas	✓
Schakelkast	✓



	220 / Comp: 220
Package / Pack	y.o.b. 2003 // *Capacity
Afmetingen	550 x 1400 x 750 mm (L x H x B) // *Capacity
	(L x H x B) motor: 15 kW at
Stock	1460 RPM // Pulley EM:

Description

Used Bitzer 4N.2

Gebuikt Bitzer 4N.2 freon compressorrek, compleet met onbelaste start, capaciteitsregeling, drukveiligheidsschakelaars, manometers, vloeistofleiding filterdroger, kijkglas, bedieningspaneel en vloeistofvat met een inhoud van 100 liter.

