

Danfoss PAF060L (Rooftop)

Specifications


Merk	Danfoss
Type	PAF060L (Rooftop)
Koudemiddel	Freon
Refrigerant type	R 417 A or other types
kW at -10°C/+40°C	14,2*
Op stalen frame	✓
Druk veiligheids schakelaars	✓
Opmerkingen	y.o.b. 2008 // 1x Compressor Danfoss HDM058T4LP6 // Rooftop Unit
Afmetingen	1120x1120x950 mm (LxWxH)
Stock	1




Description

Used Danfoss PAF060L (Rooftop)

y.o.b. 2008 // 1x Compressor Danfoss
HDM058T4LP6







Lauterburg, TN 37081		FACTORY CHARGED		Imtech	
POWER SUPPLY	460	3 PH	60 HZ	11.5 AMPS	MIN. CIRCUIT AMPS 13.7
PERMISSIBLE VOLTAGE AT UNIT	506	MAX	414	MIN	MAX. FUSE OR NEC HACR BREAKER 20
Manufacturer	TEMPSTAR ICP / Grönlner Klimatechnik GmbH				
Type	400V 3PH 60HZ 11.5A PAF060L				
Constr. Year	2008				
Refrigerant	R417A				
Charger	3.6 AMPS				
Pressure max.	25.00	1.4	bar		
Pressure min.	10.00	21.7	bar		
Cooling cap.	14.2 @ 24°C / 50% r.H.				
Heating cap.	6.6 @ 23.1				
Ambient temp. max.	52 °C				
Power supply	400/3ph+N				
Frequency	50 Hz				
Unit weight	172 kg				

