

Helpman LFX 306

Specifications


Merk	Helpman
Type	LFX 306
Capaciteit kW	50.4
Koudemiddel	Freon
Aantal Ventilatoren	6
Lamel afstand in mm	7
Ontdooiing	None
m ³ /h	28000
Afmetingen	4960x820x690 mm (LxWxH)
Volume	62 dm ³
Gewicht	320 kg
Stock	2





Description

Used Helpman LFX 306

Used Helpman LFX 306 evaporator with hot gas defrosting. 6 ATB fans 50 Hz - 0,22 kW - 1330RPM - diameter 450mm. *All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipmen





Technische gegevens

Type	Nominaal koelvermogen $t_e = -7.5^\circ\text{C}$, $t_{vm} (\Delta T) = 10\text{ K}$	Ventilatoren 50 Hz						Elektrische ontdoeling				
		luchthoe- veelheid	aan- tal	dia- meter	vermogen: nominaal		opgenomen*		aantal elementen		ontdooi- vermogen	
					220/1 W	380/3 W	220/1 W	380/3 W	blok	lekbak	kW	kW**
LFX 103	8.6	4500	3	305	30	30	100	100	2	1	4.2	
LFX 104	12.8	6000	4	305	30	30	100	100	2	1	6.9	
LFX 105	16.6	7500	5	305	30	30	100	100	2	1	9.6	
LFX 106	18.9	9000	6	305	30	30	100	100	2	1	10.8	
LFX 205	19.5	13100	5	356	70	90	160	145	4	2	12.0	9.0
LFX 207	33.6	18300	7	356	70	90	160	145	4	2	16.5	12.4
LFX 304	35.3	18700	4	457	220	250	380	400	10	2	24.0	18.0
LFX 305	39.4	23300	5	457	220	250	380	400	10	2	33.0	24.7
LFX 306	50.4	28000	6	457	220	250	380	400	10	2	33.0	24.7
LFX 405	57.2	29200	5	508	220	250	430	480	10	2	33.0	24.7
LFX 406	63.5	35100	6	508	220	250	430	480	10	2	33.0	24.7

* Gemeten bij een luchttemperatuur van 20 °C en luchtdoorlaat voor 75% geblokkeerd.

** Verlaagd ontdooivermogen zie hieronder