

Grundfos TPE 100-250/2 A-F-A-BAQE

Specifications

Marka	Grundfos
Rodzaj	TPE 100-250/2 A-F-A-BAQE
Przepływ objętościowy Q maks. (m ³ /h)	135,0
Wysokość dostawy H maks. (M)	20,1
Moc maks. (kW)	11,0
Stock	1



Description

Used Grundfos TPE 100-250/2 A-F-A-BAQE

Used Grundfos TPE 100-250/2 A-F-A-BAQE Waterpump. Grundfos MGE160MB2-FF300-F3 electric motors. Dimensions: 1600x1080x1880 mm (LxWxH). This pump Has a capacity 135 m³/h.



Type: MGE160MB2-FF300-F3	Serial No :01070	DE : 6309.C4	IP : 55	TP211
P.N. : 85901224 - V01	P.C. : 1225	NDE: 6309.C4	Tamb: 40 C	CL #
Env.Type :3R PF :0,90	Wgt : 118 kg	Var : C2-5 PUMP I/O, GENI/R5485		
INPUT		OUTPUT		Eff: IE3 91,2%
U in : 3 ~	380-480 V	U out : 0 - Uin	V	
I in 1/1 :	22,5-18,8 A	P 2 :	11,0 kW	
f in :	50/60 Hz	f out :	0-120 Hz	
				GRUNDFOS Made in Hungary
Type: SERVICE TERMINAL BOX	Serial No :	DE :	IP : 55	TP211
P.N. : 96348913 - V0	P.C. : 1439	NDE:	Tamb: 40 C	CL : F
Env.Type :3R PF :	Wgt : kg	Var :		
INPUT		OUTPUT		Eff:
U in : 3 ~	V	U out : 0 - Uin	V	
I in 1/1 :	A	P 2 :	kW	
f in :	50/60 Hz	f out :	Hz	
				GRUNDFOS Made in Hungary



