

# DWM D4DL3-150X-EWL (x2) & D4DL5-150x-AWM/D (x1)

## Specifications

Marka	DWM
Typ	D4DL3-150X-EWL (x2) & D4DL5-150x-AWM/D (x1)
Czynnik chłodzący	Freon
kW at -20°C/+40°C	81,2
kW at -30°C/+40°C	51,15
kW at -40°C/+40°C	29,6
kW at -45°C/+40°C	21,3
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	137
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	212,7
Package / Rack	✓



---

Rozmiar	2850x1100x1900 mm (LxWxH)
Stock	1

---

## Description

### **Used DWM D4DL3-150X-EWL (x2) & D4DL5-150x-AWM/D (x1)**

Used Compressor Unit package rack with 2x DWM D4DL3-150X-EWL and 1 DWM D4DL5-150x-AWM/D. This package includes: Steel base frame / Pressure safety switches and gauges / Liquid receiver (137L) / Oil separator / Oil level system / Solenoid valve / Control panel.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.





