

Goedhart KOAL 7646E

Specifications

Marka	Goedhart
Typ	KOAL 7646E
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	137,4
Liczba wentylatorów	4
Prdkość obrotów wentylatora (obr/min)	460
Czynnik chłodzący	Freon
Przepływ powietrza w m ³ /h	33.280 m ³ /h
wentylatory o średnicy Ø 760 mm	
Powierzchnia (m2)	745 m2
Objętość rurki	70 liter
Rozmiary (LxWxH)	5770x1220x1120 mm
Waga	690 kg
Stock	1



Description

Used Goedhart KOAL 7646E

Used Goedhart KOAL 7646E air cooled condenser on Freon. KOAL air-cooled condensers are suitable for condensing halogen refrigerants by means of air. The condenser has an air flow of 33.280 m³/h and a surface of 745 m² with a total tube volume of 70 liter. Complete with 4 ASEA fans - 50 Hz - 0,12 kW - 460 RPM - Diameter 760 mm. *All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



