

# Bitzer 2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)

## Specifications

Marka	Bitzer
Typ	2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	60,6
kW at -10°C/+40°C	49,8
kW at -20°C/+40°C	32,4
kW at -30°C/+40°C	19,6
kW at -40°C/+40°C	10,3
kW at -45°C/+40°C	5,2
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	39
Separator oleju	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
m3 / h	92,7
Uwagi	Y.o.b. 2008
Package / Rack	✓
Rozmiary	2700x650x1420 mm (LxWxH)
Stock	1





## Description

### Used Bitzer 2CC-3.2Y-40S (x1) & 4DC-5.2Y-40S (x2) & 4EC-6.2Y-40S (x1)

Used Bitzer Semi-Hermetic reciprocating compressor rack. Complete with (1x) 2CC-3.2Y-40S & (2x) 4DC-5.2Y-40S & (1x) 4EC-6.2Y-40S compressors, Bitzer FS402 liquid receiver 39 Liter, oil reservoir, oil separator and pressure and safety switches.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.







**OIL RECEIVER**

Type:	YRG-S 8	PS:	33 Bar
Capacity:	8 LT	TS:	40-80
Prod Date:	28.12.2007	PT:	37 Bar

For use with CFC, HCFC, HFC (Group 2) refrigerants



