

Bitzer 4EC-6.2Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4EC-6.2Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	17,8
kW at -5°C/+40°C	14,8
kW at -10°C/+40°C	12,1
kW at -20°C/+40°C	7,9
kW at -30°C/+40°C	4,7
kW at -40°C/+40°C	2,4
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	6
Separator oleju	✓
Osuszający filter lini cieczy	✓
m ³ / h	22,7
Uwagi	Y.o.b. 2009
Condensing Unit	✓
Rozmiary	1350x720x1250 mm (LxWxH)
Stock	1







Description

Used Bitzer 4EC-6.2Y-40S Condensing unit

Used Bitzer 4EC-6.2Y-40S condensing unit. Complete with a Bitzer 4EC-6.2Y-40S Semi-hermetic reciprocating compressor, condenser with 2 fans - 50 Hz - 0,16 kW - 880 RPM - Diameter 450 mm, liquid receiver, oil separator, liquid line filter drier and pressure and safety switches.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





		LEGNAGO VERONA-Italy I-37045 S.p.A. www.frigomec.com			
Tipo	180/310VK00-RV-180X313				
Fabbricazione- Nr.	9140128				
Anno fabbricazione	2009				
GruppoFluidi	2	/	Escluso	/	
Categoria	I	/	Volume V:L	6	
Temperatura TS-°C	-10	100	-50	100	
Press. max consentita PS-bar	33		24		
Pres di collaudo PT-bar	47.19				

