

Daikin EWAD160E-SL003

Specifications

| | |
|----------------------------|---|
| Marka | Daikin |
| Typ | EWAD160E-SL003 |
| Typ produktu | Air Cooled Chiller |
| Ogólna wydajność w kW | 157,0 |
| Ogólna wydajność w | 43,6 |
| Tonaż | |
| Czynnik chłodzący | Freon |
| Typ czynnika chłodzącego | R-134a |
| Waga kg. | 1.961 kg |
| Rozmiary | 3300x1700x2450 mm (LxWxH) |
| Compressor(s) type & model | McQuay HSA3122QS8YA Screw Compressor |
| Display | MicroTech III MT 3006 |
| Number of fans | 4 |
| Fan specifications | 715 RPM |
| Uwagi | Y.O.B. 2011 |
| Stock | 1 |



Description

Used Daikin EWAD160E-SL003

Used Daikin EWAD160E-SL003 waterchiller. Complete with a McQuay HSA3122QS8YA Screw Compressor, plate heat exchanger and liquid drier filter. The Daikin has a capacity of 157 kW and 4 air fans - 715 RPM.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. If requested we can arrange your shipment.



DAIKIN EUROPE N.V.
Zandvoordestraat 300, B-8400 Oostende, Belgium

EWAD160E-SL003 S.N. 0V11-00651/20/1

| | | | | | |
|---------|---------|----------|-----------|-----------|-----------|
| R134a | 30 KG | PS high | HP switch | PT | TS |
| | | 25.5 bar | 21 bar | 28.05 bar | -10/76 °C |
| | 1961 KG | PS low | IPX4 | | |
| made in | ITALY | 15.5 bar | 3-50 Hz | 400 V | 146 A |

Serial Number Unit
0V11-00651/20/1

CE 0948

Contains fluorinated greenhouse gases covered by the Kyoto Protocol

Manufacturing date 03/2011





