

# Goedhart DVS-i-64457

## Specifications

Marka	Goedhart
Typ	DVS-i-64457
Ogólna wydajność w kW	30,4
Czynnik chłodzący	Freon
Liczba wentylatorów	4
Średnica wentylatora mm	7
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m <sup>3</sup> /h	19.624
Rozmiary	2860x1570x470 mm (LxWxH)
Uwagi	Y.o.b. 2015
Volume	39 dm <sup>3</sup>
Waga	340 kg
Stock	1




## Description

### Used Goedhart DVS-i-64457

Used Goedhart DVS-i-64457 double discharge evaporator on Freon build in 2015. Complete with 4 Ziehl-Abegg fans - 50 Hz - 0,35/-,22 kW - 1280/970 RPM - diameter 450 mm and a total airflow of 19.624 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



<b>GEA Goedhart B.V.</b>		
Nijverheidsweg 6, 4695 RC Sint Maartensdijk The Netherlands		
Tel: +31(0) 166 665 665    www.goedhart.nl		
Man.no:	PJV143086	
Type:	DVS-I-64457	
Number:	2 of 2	Year: 2015
Client ref:	Jover	
M:	340 kg	TS: +55/-3 °C
V:	39 dm <sup>3</sup>	PS: 28 bar
		PT: 40 bar
Fluid:	R-407F	
<b>Goedhart</b>		Made in the EC



