

Stal SRM 73EB - 26A

Specifications

Marka	Stal
Typ	SRM 73EB - 26A
Czynnik chłodzący	NH 3 / Freon
Silnik elektryczny Specs	380 V - 50Hz - 2960 rpm - 160kW
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Panel kontrolny	✓
m3 / h	2505 at 2950 RPM / 3010 at 3540 RPM
Waga kg.	1185
Rozmiary	3600x1900x1500 mm (LxWXH)
Stock	1



Description

Used Stal SRM 73EB - 26A

Used STAL SRM S73EB - 26A (booster version) open drive screw compressor for NH₃. Unit with electric motor, oil separator, oil cooler and pressure gauges. The capacities refer to a process with no subcooling of the liquid and no superheating of the suction gas. Furthermore the capacities are based on 2950 rpm, 50 Hz and NH₃. The volume ratio is 2,6.

-20/+0°C: 1290 kW

-30/+0°C: 820 kW

-40/+0°C: 490 kW

-45/+0°C: 370 kW

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely



Your partner for used commercial and industrial refrigeration equipment

deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







