

# Bitzer 4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)

## Specifications

Marka	Bitzer
Typ	4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	84,3
kW at -5°C/+40°C	67,7
kW at -10°C/+40°C	53,5
kW at -20°C/+40°C	31,3
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Przetłączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	70
Panel kontrolny	✓
m <sup>3</sup> / h	168,6
Uwagi	Y.o.b. 2010
Uwagi	4NES-12Y-40P - Y.o.b. 2014
Package / Rack	✓
Rozmiary	2000x900x1900 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4NCS-12.2Y-40P (x2) & 4NES-12Y-40P (x1)

Used Bitzer 4NCS-12.2Y-40P (x2) & Bitzer 4NES-12Y-40P semi-hermetic reciprocating compressors on Freon. Complete with a Tecnac RV-273-70 liquid receiver with a volume of 70 liter, pressure and safety switches, condensing switches and a control cabinet with a Linde display. The compressors have a displacement of 168,6 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

---

the logistics







