

Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

Specifications

Marka	Bock
Typ	HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	331,2
kW at -5°C/+40°C	276,1
kW at -10°C/+40°C	226,1
kW at -20°C/+40°C	146,0
kW at -30°C/+40°C	86,2
kW at -40°C/+40°C	44,3
kW at -45°C/+40°C	28,3
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	320
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓



Zawór elektromagnetyczny	✓
m3 / h	430,4
Package / Rack	✓
Rozmiary	5000x1230x2420 mm (LxWxH)
Stock	1

Description

Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1)

Used Bock HGX7/1860-4 S (x2) & HGX6/1240-4 S (x1) semi-hermetic reciprocating compressors on Freon. Complete with a Bitzer FS 3102 liquid receiver with a volume of 320 liter, Henry S-1904-CE oil separator, Henry S-9108-CE oil reservoir, suction accumulator, liquid line filter drier, pressure and safety switches/gauges, ABB frequency drive and a control cabinet.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.













