

Carrier 30 RA 120

Specifications

Marka	Carrier
Typ	30 RA 120
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	115,0
Ogólna wydajność w	32,7
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R407C
Pump	✓
Moduł hydrauliczny	✓
Waga kg.	1205
Rozmiary	2300x2080x1400 mm (LxWxH)
Compressor(s) type & model	2 Performer SZ161T4VC & 2 Performer SZ120S4VC
Display	Carrier Pro-Dialog Plus
Number of fans	2
Fan specifications	50 Hz - 0,82/0,4/0,1 kW - 700/550/360 RPM
Uwagi	Y.o.b. 2007
Stock	1



Description

Used Carrier 30 RA 120

Used Carrier 30 RA 120 air cooled water chiller on R407C. Complete with 2 Performer SZ161T4VC & 2 Performer SZ120S4VC scroll compressors, Grooved copper tubes and aluminium fins condensor with 2 fans - 50 Hz - 0,82/0,4/0,1 kW - 700/550/360 RPM, plate heat exchanger functioning as evaporator with a volume of 9,8 liter, water pump, expansion vessel and a Carrier Pro-Dialog Plus display. *All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. if requested we can arrange your shipment.







