

# Bitzer 4H-25.2Y

## Specifications

Marka	Bitzer
Typ	4H-25.2Y
Czynnik chłodzący	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
kW at -10°C/+40°C	40,6
kW at -20°C/+40°C	26,4
kW at -30°C/+40°C	15,9
kW at -40°C/+40°C	8,3
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	98
Osuszający filter lini cieczy	✓
Panel kontrolny	✓
m3 / h	73,6
Uwagi	Y.o.b. 2001
Rozmiary	2080x1300x1620 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4H-25.2Y

Used Bitzer 4H-25.2Y reciprocating compressor unit. Complete with a Frigo-Mec FK 98 liquid receiver with a volume of 98 liter, liquid line filter drier, pressure safety switches/gauges, control panel and a Schneider Electric Altivar 21 frequency converter.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially.  
\*If requested we are happy to arrange your shipment.













