

Sabroe SMC 108L

Specifications

Marka	Sabroe
Typ	SMC 108L
Czynnik chłodzący	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	722,4
kW at 0°C/+40°C	477,8
kW at -5°C/+40°C	380,2
kW at -10°C/+40°C	297,1
Silnik elektryczny Specs	50/60 Hz - 110/127 kW - 1475/1775 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	565
Uwagi	Y.o.b. 2005
Rozmiary	2450x1150x1480 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 108L

Ready to run Sabroe SMC 108L reciprocating compressor on NH₃ (Ammonia). Complete with a Schorch KN7280S-BB01B-401 electric motor - 50 Hz - 110 kW - 1475 RPM, Sabroe OVUR 3206D oil separator with a volume of 39 liter, pressure and safety switch and a Sabroe UNISAB 2 control panel. The compressor has a displacement of 565 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







