

# Thermofin X-TACD.2-091-24-C-L-DE-BC-06

## Specifications

Marka	Thermofin
Typ	X-TACD.2-091-24-C-L-DE-BC-06
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	450,0*
Liczba wentylatorów	8
Prdkość obrotów wentylatora (obr/min)	800
Czynnik chłodzący	Freon
Przepływ powietrza w m <sup>3</sup> /h	138.000
wentylatory o średnicy Ø 910 mm	
Objętość rurki	215 dm <sup>3</sup>
Rozmiary (LxWxH)	6500x2300x2300 mm
Waga	3000 kg
Uwagi	Y.o.b. 2018
Remarks	*Capacity based at a condensing temperature of 42°C and an air inlet temperature of 30°C.
Stock	1



## Description

### Used Thermofin X-TACD.2-091-24-C-L-DE-BC-06

Used Thermofin X-TACD.2-091-24-C-L-DE-BC-06 air cooled condenser on NH<sub>3</sub> build in 2018. Complete with 8 EBM-Papst S3G910-CS22-06 fans - 50/60 Hz - 1,55 kW - 800 RPM - diameter 910 mm and a total airflow of 138.000 m<sup>3</sup>/h. Capacity based at a condensing temperature of 42°C and an air inlet temperature of 30°C.

\*All components of this used chiller will be tested on good working, leak free condition condensing blocks, compressors, fans, control panel, etcetera. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your



shipment.





