

Sabroe SMC 106 L

Specifications

Marka	Sabroe
Typ	SMC 106 L
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	541,8
kW at 0°C/+40°C	358,3
kW at -5°C/+40°C	285,1
kW at -10°C/+40°C	222,8
Silnik elektryczny Specs	50 Hz - 90 kW - 1460 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	413,0
Rozmiary	2000x1100x1500 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 106 L

Used Sabroe SMC 106 L reciprocating compressor on NH₃ (R717). Complete with ALSTHOM APU 250 M - 50 Hz - 90 kW - 1460 RPM, Sabroe OVUR 3206 D oil separator and pressure and safety switches/gauges. The compressor has a displacement of 413 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





