

# Bitzer 2DES-3Y-40S Condensing unit

## Specifications

Marka	Bitzer
Typ	2DES-3Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	10,7
kW at -5°C/+40°C	8,9
kW at -10°C/+40°C	7,3
kW at -20°C/+40°C	4,8
kW at -30°C/+40°C	2,9
kW at -40°C/+40°C	1,5
kW at -45°C/+40°C	1,0
Obiornik cieczy	✓
Obiornik cieczy ltr.	7,8
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m <sup>3</sup> / h	13,4
Uwagi	Y.o.b. 2015
Condensing Unit	✓
Rozmiary	1000x680x700 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 2DES-3Y-40S Condensing unit

Used Bitzer 2DES-3Y-40S Condensing unit on Freon build in 2015. Complete with a condenser that has a Ziehl-Abegg FB045-4EK.4F-V4L fan - 50/60 Hz - 0,41/0,57 kW - 1320/1520 RPM - diameter 450 mm, Bitzer FS76 liquid receiver with a volume of 7,8 liter and a liquid line filter drier. The compressor has a displacement of 13,4 m<sup>3</sup>/h at 50 Hz and 16,1 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.



