

## Goedhart KOAL 76L/4-6P

### Specifications

Marka	Goedhart
Typ	KOAL 76L/4-6P
Typ produktu	Air Cooled Condenser
Ogólna wydajność w kW	226,0
Liczba wentylatorów	4
Prdkość obrotów wentylatora (obr/min)	930
Czynnik chłodzący	Freon
Przepływ powietrza w m <sup>3</sup> /h	49.316
wentylatory o średnicy Ø 760 mm	
Objętość rurki	62 dm <sup>3</sup>
Rozmiary (LxWxH)	7100x1090x1090 mm
Waga	660 kg
Stock	1



### Description

#### Used Goedhart KOAL 76L/4-6P

Used Goedhart KOAL 76L/4-6P air cooled condenser on Freon. Complete with 4 Leroy-Somer LS90S T electric motor - 50/60 Hz - 0,75/0,90 kW - 930/1115 RPM - diameter 760 mm and a total airflow of 49.316 m<sup>3</sup>/h.

\*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



	
<b>SINT - MAARTENSDIJK HOLLAND</b>	
Tel. nr. :	(+31) 166.665 665
Fax. nr. :	(+31) 166.663 698
Type	: KOAL 76L/4-6P
Manufacturingno.	: 98-7870-010
Build in year	: 1998
Medium	: R22
Testpressure	: 30 bar
Min. workingtemp.	: -10 °C
Max. workingtemp.	: 50 °C
Max. workingpress.	: 19,5 bar
Tubevolume	: 62 dm <sup>3</sup>
Mass (empty)	: 660 kg



