

# Sabroe HPO 26

## Specifications

Marka	Sabroe
Typ	HPO 26
Czynnik chłodzący	CO2
kW at -30°C/+40°C	75,0*
Silnik elektryczny Specs	50/60 Hz - 75/86 kW - 1476/1774 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	175
Uwagi	Y.o.b. 2005
Uwagi	*Capacity based on the following temperatures: -35°C/-10°C
Rozmiary	1950x1000x2000 mm (LxWxH)
Stock	2



## Description

### Used Sabroe HPO 26

Used Sabroe HPO 26 reciprocating compressor on R744 (CO<sub>2</sub>). Complete with Leroy Somer LS280SC-T electric motor - 50/60 Hz - 75/86 kW - 1476/1774 RPM, Sabroe OVUR 4113D oil separator and a Unisab 2 control panel. The compressor has a capacity of -35°C/-10°C and a displacement of 175 m<sup>3</sup>/h. The unit comes with a CE declaration.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.





