

DWM D3DC4-75X-AWM/D (x3)

Specifications

Marka	DWM
Typ	D3DC4-75X-AWM/D (x3)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	74,8
kW at -10°C/+40°C	61,0
kW at -20°C/+40°C	39,2
kW at -30°C/+40°C	23,7
kW at -40°C/+40°C	12,7
kW at -45°C/+40°C	8,5
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	60
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
m ³ / h	114,0
Package / Rack	✓
Rozmiary	2050x1200x1300 mm (LxWxH)
Stock	1



Description

Used DWM D3DC4-75X-AWM/D (x3)

Used DWM D3DC4-75X-AWM/D (x3) semi-hermetic reciprocating Freon compressor rack on a steel base frame. Complete with a Frigo Mec FK 60 liquid receiver with a volume of 60 liters, AC&R S-5587 oil separator, AC&R S-9109 oil reservoir, AC&R S-9530 oil level regulators, liquid line filter drier and pressure and safety switches. The compressors together have a displacement of 114,0 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





