

Bitzer 4PES-10Y-40P (x1) & 6JE-22Y-40P (x1)

Specifications

Marka	Bitzer
Typ	4PES-10Y-40P (x1) & 6JE-22Y-40P (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	69,4
kW at -5°C/+40°C	58,6
kW at -10°C/+40°C	46,1
kW at -20°C/+40°C	26,3
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Przełączniki kondensacji ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	140
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Zawór elektromagnetyczny	✓
m ³ / h	143,8
Uwagi	Y.o.b. 2010
Package / Rack	✓



Rozmiar	2000x1000x1300 mm (LxWxH)
Stock	1

Description

Used Bitzer 4PES-10Y-40P (x1) & 6JE-22Y-40P (x1)

Used Bitzer 4PES-10Y-40P (x1) & 6JE-22Y-40P (x1) semi-hermetic reciprocating compressor on Freon. Complete with a Henry S-1903-CE oil separator, Tecnac DVC-180-8.5/14,5-14 oil reservoir, Tecnac RV-406-140 liquid receiver with a volume of 140 liter, electric oil level regulator, pressure and safety switches/gauges, Danfoss AKD102P11KT4P21H frequency converter and a Danfoss AKD102P22KT4P21 frequency converter. The compressors have a total displacement of 143,8 m³/h.
*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







