

Bitzer 6GE-40Y-40P

Specifications

Marka	Bitzer
Typ	6GE-40Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	102,4
kW at -5°C/+40°C	85,2
kW at -10°C/+40°C	70,2
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,4
kW at -45°C/+40°C	10,6
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	112
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	126,8 - 153,0
Uwagi	Y.o.b. 2019
Rozmiary	1530x750x1770 mm (LxWxH)



Stock

1

Description

Used Bitzer 6GE-40Y-40P

Used Bitzer 6GE-40Y-40P semi-hermetic reciprocating compressor on Freon build in 2019. Complete with a Bitzer F1202N liquid receiver, Henry S-5694-CE oil separator, liquid line filter drier, pressure and safety switches/gauges and a control panel. The compressor has a displacement of 127 m³/h at 1450 RPM and 153 m³/h at 1750 RPM.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





