

Bitzer 4CC-6.2Y-40S Condensing unit

Specifications

Marka	Bitzer
Typ	4CC-6.2Y-40S Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	21,1
kW at -10°C/+40°C	17,4
kW at -20°C/+40°C	11,4
kW at -30°C/+40°C	7,0
kW at -40°C/+40°C	3,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	20
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	39,2
Uwagi	Y.o.b. 2004
Condensing Unit	✓
Rozmiary	950x680x840 mm (LxWxH)
Stock	1



Description

Used Bitzer 4CC-6.2Y-40S Condensing unit

Used Bitzer condensing unit on Freon. Complete with a Bitzer 4CC-6.2Y-40S semi-hermetic reciprocating compressor, Bitzer FS 202 liquid receiver with a volume of 20 liter, condenser with 1 Ziehl-Abegg FB045-4EK.4I.6P fan 50/60 Hz - 0,48/0,73 kW - 1340/1530 RPM - diameter 450 mm and pressure and safety switches. The compressor has a displacement of 32,5 m³/h at 1450 RPM and 39,2 m³/h at 1750 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and



arrange the logistics.





