

Bitzer 66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)

Specifications

Marka	Bitzer
Typ	66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	246,3
kW at -5°C/+40°C	205,1
kW at -10°C/+40°C	169,7
kW at -20°C/+40°C	111,3
kW at -30°C/+40°C	68,4
kW at -40°C/+40°C	37,5
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter linii cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	365,9



	SN: 1688716852 - Y.o.b. 2015
	SN: 15811445 - Y.o.b. 1999
Package / Rack	SN: 15611444 - Y.o.b.
Rozmiar	2990x1030x11720 mm (LxWxH)
Stock	1

Description

Used Bitzer 66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)

Used Bitzer 66F-100.2/ 6FE-50Y-40P (x1) & 6F-50.2 (x1) semi-hermetic reciprocating tandem compressor rack on Freon. Complete with pressure safety switches, liquid line filter drier, oil separator, oil level system AC&R and sight glasses.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





