

Dorin H350SB Condensing unit

Specifications

Marka	Dorin
Typ	H350SB Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	12,4
kW at -10°C/+40°C	10,3
kW at -20°C/+40°C	6,8
kW at -30°C/+40°C	4,3
kW at -40°C/+40°C	2,4
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m ³ / h	17,6
Condensing Unit	✓
Rozmiary	1200x1020x600 mm (LxWxH)
Stock	1



Description

Used Dorin H350SB Condensing unit

Used Dorin H350SB condensing unit on Freon. Complete with a condenser with 3 fans - 50/60 Hz - 16 W - 1300/1550 RPM - diameter 330 mm, liquid receiver, AC&R S-5585 oil separator, liquid line filter drier, and pressure and safety switches. The compressor has a displacement of 17,5 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





