

Sabroe TSMC 116 S

Specifications

Marka	Sabroe
Typ	TSMC 116 S
Czynnik chłodzący	NH 3 (ammonia)
kW at -30°C/+40°C	167,5
kW at -40°C/+40°C	96,9
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	679
Uwagi	Y.o.b. 2000
Rozmiary	2750x1150x1640 mm (LxWxH)
Stock	1



Description

Used Sabroe TSMC 116 S

Used Sabroe TSMC 116 S reciprocating compressor on R717 (Ammonia). Complete with a Leroy Somer electric motor - 50/60 Hz - 90/103 kW - 1470/1770 RPM, Sabroe OVUR 3206D oil separator, Sabroe OVUR 4107D second oil separator, and pressure and safety switches/gauges. The compressor has a displacement of 679 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





