

# Helpman LEXH 26-7

## Specifications

|   |                                   |
|---|-----------------------------------|
| Marka                                     | Helpman                           |
| Typ                                       | LEXH 26-7                         |
| Ogólna wydajność w kW                     | 23,4                              |
| Czynnik chłodzący                         | Freon                             |
| Liczba wentylatorów                       | 3                                 |
| Średnica wentylatora<br>mm                | 7                                 |
| Rozmrażanie                               | None                              |
| Przepływ powietrza w<br>m <sup>3</sup> /h | 14.000                            |
| Rozmiary                                  | 2650x800x700 mm<br>(LxWxH)        |
| Uwagi                                     | Surface area: 84,2 m <sup>2</sup> |
| Volume                                    | 30,9 dm <sup>3</sup>              |
| Waga                                      | 159 kg                            |
| Stock                                     | 3                                 |



## Description

### Used Helpman LEXH 26-7

Used Helpman LEXH 26-7 evaporator on Freon. Complete with 3 ATB AFT71/4A-7 fans - 50/60 Hz - 0,25 kW - 1410/1710 RPM - diameter 457 mm and a total airflow of 14.000 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



| <b>HELPMAN</b>             |                        | Apparatenfabriek Helpman BV<br>Peizerweg 97<br>NL - 9727 AJ Groningen |  |
|----------------------------|------------------------|---|--|
| Type                       | LEXH26-7 /220-380-50-3 |   |  |
| Serial nr.                 | 3657-004               |   |  |
| Medium                     | R404A/R507             |   |  |
| Min/max workingtemperature | -40/55°C               |   |  |
| Design/testpressure        | 25/30 bar              |   |  |
| Volume                     | 30.9 dm <sup>3</sup>   |   |  |
| Weight (empty)             | 159 kg                 |   |  |
|                            | 200                    |   |  |



