

# Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

## Specifications

Marka	Bitzer
Typ	6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	205,3
kW at -10°C/+40°C	169,3
kW at -20°C/+40°C	110,9
kW at -30°C/+40°C	67,7
kW at -40°C/+40°C	36,4
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	160
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m <sup>3</sup> / h	50 Hz - 309,8 m <sup>3</sup> /h - 60 Hz - 374,1 m <sup>3</sup> /h



Uwagi	Y.o.b. 2005
Waga kg.	1500 kg
Package / Rack	✓
Rozmiary	3290x950x2150 mm (LxWxH)
Stock	1

## Description

### **Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)**

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liters, oil separator, oil reservoir, braced heat exchanger, liquid line filter drier, and pressure and safety switches/gauges.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.





