

## Bitzer W6FA (x2)

### Specifications

Marka	Bitzer
Typ	W6FA (x2)
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	473,8
kW at 0°C/+40°C	255,1
kW at -5°C/+40°C	198,3
kW at -10°C/+40°C	148,8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m <sup>3</sup> / h	366,0
Package / Rack	✓
Rozmiary	1950x1400x1440 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer W6FA (x2)

Used Bitzer W6FA (x2) open-type reciprocating compressor rack on NH<sub>3</sub> (Ammonia). Complete with 2 Rotor 5RN160M04 electric motors - 50 Hz - 11 kW - 1455 RPM, 2 AC&R SN-5292 oil separators, ESK Schultze OSA-18-FL1 oil reservoir and pressure and safety switches/gauges. The compressors have together a displacement of 366 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





