

Bitzer 4GE-23Y-40P (x2) & 4GE-20Y-40P (x2)

Specifications

Marka	Bitzer
Typ	4GE-23Y-40P (x2) & 4GE-20Y-40P (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	177,6
kW at -5°C/+40°C	142,8
kW at -10°C/+40°C	114,0
kW at -20°C/+40°C	68,7
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m3 / h	338,2
Uwagi	SN: 1696514679 & 1696514681 - Y.o.b. 2019 SN: 1690501859 & 1690501858 - Y.o.b. 2016
Package / Rack	✓



Rozmiar	2950x1250x1900 mm (LxWxH)
Stock	1

Description

Used Bitzer 4GE-23Y-40P (x2) & 4GE-20Y-40P (x2)

Used Bitzer 4GE-23Y-40P (x2) & 4GE-20Y-40P (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer FS2202 liquid receiver with a volume of 228 liters, AC&R electric oil level system and liquid line filter driers. The compressors have a total displacement of 338,2 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially.
*If requested we are happy to arrange your shipment.





