

Rivacold SFL016Z002/ANS Plug and Play

Specifications

| | |
|-------------------------------|------------------------------------------|
| Marka | Rivacold |
| Typ | SFL016Z002/ANS Plug and Play |
| Czynnik chłodzący | Freon |
| kW at -20°C/+40°C | 1,5* |
| Osuszający filter lini cieczy | ✓ |
| Uwagi | *Capacity based on a temperature of 43°C |
| Waga kg. | 118,5 kg |
| Rozmiary | 1110x970x620 mm (LxWxH) |
| Stock | 1 |



Description

Used Rivacold SFL016Z002/ANS Plug and Play

Used Rivacold Plug and Play unit SFL016Z002/ANS on Freon. Complete with a L'Unite Hermetique TFH2480Z-T scroll compressor, condenser with 2 ebmpapst M4Q045-EA01-86 fans with 50/60 Hz - 0,09/0,03 kW - 1300/1550 RPM and liquid line filter drier. Cooling unit has a capacity of 2 kW at -15°C/+43°C and 1,2 kW at -25°C/+43°C.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



