

# Bitzer 6H-35.2Y-40P

## Specifications

Marka	Bitzer
Typ	6H-35.2Y-40P
Czynnik chłodzący	Freon
kW at 0°C/+40°C	89,3
kW at -5°C/+40°C	74,1
kW at -10°C/+40°C	60,9
kW at -20°C/+40°C	39,6
kW at -30°C/+40°C	23,8
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	105 l
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
m <sup>3</sup> / h	110,5 m <sup>3</sup> /h - 50 Hz & 133,3 m <sup>3</sup> /h - 60 Hz
Uwagi	Y.o.b. 2009
Rozmiary	1600x550x900 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6H-35.2Y-40P

Used Bitzer 6H-35.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer F 1050 T liquid receiver with a volume of 105 liters, oil separator, liquid line filter drier, sight glass and pressure safety switches. The compressor has a displacement of 110,5 m<sup>3</sup>/h at 50 Hz and 133,3 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.





