

Frascold Z40 154Y (x3)

Specifications

Marka	Frascold
Typ	Z40 154Y (x3)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	296,5
kW at -10°C/+40°C	240,9
kW at -20°C/+40°C	155,4
kW at -30°C/+40°C	95,0
kW at -40°C/+40°C	49,9
kW at -45°C/+40°C	30,2
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	320
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter linii cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	50 Hz - 463,1 m ³ /h / 60 Hz - 555,8 m ³ /h
Package / Rack	✓



Rozmiar	3300x1300x2600 mm (LxWxH)
Stock	1

Description

Used Frascold Z40 154Y (x3)

Used Frascold Z40 154Y (x3) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer FS3102 liquid receiver with a volume of 320 liter, AC&R S-1902 oil separator, AC&R S-908 oil receiver, brazed heat exchanger, pressure and safety switches/gauges, liquid line filter driers and a control cabinet.

*Why should one choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleansing. If requested we can arrange your logistics.









