

# Sabroe SMC 112 E

## Specifications

Marka	Sabroe
Typ	SMC 112 E
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	1318,8
kW at 0°C/+40°C	877,6
kW at -5°C/+40°C	701,3
kW at -10°C/+40°C	551,0
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	1018
Uwagi	Y.o.b. 2001
Package / Rack	✓
Rozmiary	2850x1150x1370 mm (LxWxH)
Stock	1



## Description

### Used Sabroe SMC 112 E

Used Sabroe SMC 112 compressor unit. Complete with Sabroe SMC 112 E reciprocating compressor on R717 (amonnia), Leroy Somer PLS315M-T electric motor - 50/60 Hz - 200/230 kW - 1460/1765 RPM, Sabroe OVUR 4107 oil separator with a volume of 70 liters, pressure and safety switches and Sabroe UNISAB II control panel. The compressor has a displacement of 1018 m<sup>3</sup>/h at 1500 RPM.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.





