

Carrier 30 RQS 160

Specifications

Marka	Carrier
Typ	30 RQS 160
Typ produktu	Heat pump
Ogólna wydajność w kW	149,0
Ogólna wydajność w	42,4
Tonaż	
Czynnik chłodzący	Freon
Liquid buffer tank	✓
Pump	✓
Waga kg.	1091 kg
Rozmiary	2750x2350x2500 mm (LxWxH)
Compressor(s) type & model	x4 Copeland ZP182KQE-TFD-604
Display	Carrier Pro-Dialog Plus
Number of fans	2
Fan specifications	50/60 Hz - 970/1130 RPM - 1,3/2,4 kW
Uwagi	Y.o.b. 2013
Stock	1



Description

Used Carrier 30 RQS 160

Used Carrier 30 RQS 160 reversible chiller / heat pump. Complete with 4 Copeland ZP182KQE-TFD-604 scroll compressors, condenser with 2 Carrier 3PM A 100LH 6 fans 50/60 Hz - 970/1130 RPM - 1,3/2,4 kW with a total airflow of 10.568 m³/h, plate heat exchanger as evaporator, Grundfos AC-30 water pump and a Carrier control panel.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.





