

# Güntner S-AGVH 090.2A/2x5-N(D)

## Specifications

Marka	Güntner
Typ	S-AGVH 090.2A/2x5-N(D)
Typ produktu	Drycooler
Ogólna wydajność w kW	859,6*
Liczba wentylatorów	10
Prdkość obrotów wentylatora (obr/min)	890/700
Czynnik chłodzący	Glycol
Przepływ powietrza w m <sup>3</sup> /h	279.000
wentylatory o średnicy Ø 910 mm	
Powierzchnia (m <sup>2</sup> )	2504 m <sup>2</sup>
Objętość rurki	227,9_10,2 dm <sup>3</sup>
Rozmiary (LxWxH)	10000x2300x1430 mm
Uwagi	Y.o.b. 2006
Remarks	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



## Description

### Used Güntner S-AGVH 090.2A/2x5-N(D)

Used Güntner S-AGVH 090.2A/2x5-N(D) air cooled drycooler. Complete with 10 Ziehl-Abegg fans - 50 Hz - 2,79/1,36 kW - 890/700 RPM - diameter 910 mm and a total airflow of 279.000 m<sup>3</sup>/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 859,6kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C.

\*All components of this used condensor will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. Also, we can arrange your shipment.



