

Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)

Specifications

Marka	Bock
Typ	HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	193,2
kW at -10°C/+40°C	159,3
kW at -20°C/+40°C	104,5
kW at -30°C/+40°C	63,5
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m ³ / h	50 Hz - 306 m ³ /h / 60 Hz - 367,2 m ³ /h
Uwagi	Y.o.b. 2001



Package / Rack	✓
Rozmiary	5000x1200x2900 mm (LxWxH)
Stock	1

Description

Used Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)

Used Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1) compressor rack on Freon. Complete with a AC&R S-1904 oil separator, Witt NDB 813 X 2200 separator, pressure and safety switches/gauges, oil level system AC&R and control cabinet with displays. The compressors have a total displacement of 306 m³/h at 50 Hz and 367,2 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.







